





















## References

- Aebi, H.**, 1984. Catalase in vitro. *Methods Enzymol.* 105, 121-126.
- Ai, H.X., Shen, Y.F., Min, C., Pang, S.Y., Zhang, J.X., Zhang, S.Q., Zhao, Z.H.**, 2011. Molecular structure, expression and bioactivity characterization of TNF13B (BAFF) gene in mefugu, *Takifugu obscurus*. *Fish Shellfish Immunol.* 30, 1265-1274.
- Ai, Q.H., Mai, K.S., Tan, B.P., Xu, W., Zhang, W.B., Ma, H.M., Guo, Z., Liu, F.**, 2006. Effects of dietary vitamin C on survival, growth, and immunity of large yellow croaker, *Pseudosciaena crocea*. *Aquaculture* 261, 327-336.
- Bell, J.G., Cowey, C.B., Adron, J.W., Shanks, A.M.**, 1985. Some effects of vitamin E and selenium deprivation on tissue enzyme levels and indices of tissue peroxidation in rainbow trout (*Salmo gairdneri*). *Brit. J. Nutr.* 53,149-157.
- Berryman, D., Christiansen, J.S., Johannsson, G., Thornerd, M.O., Kopchick, J.J.**, 2008. Role of the GH/IGF-1 axis in lifespan and healthspan: Lessons from animal models. *Growth Hormone Endocr. Rev.* 22, 53-74.
- Chen, Y.J., Yuan, R.M., Liu, Y.J., Yang, H.J., Liang, G.Y., Tian, L.X.**, 2015. Dietary vitamin C requirement and its effects on tissue antioxidant capacity of juvenile largemouth bass, *Micropterus salmoides*. *Aquaculture* 435, 431-436.
- Dariasa, M.J., Mazurais, D., Koumoundouros, G., Cahu, C.L., Zambonino-Infante, J.L.**, 2011. Overview of vitamin D and C requirements in fish and their influence on the skeletal system. *Aquaculture* 315, 49-60.
- Drape, H.H., Squires, E.J., Mahmoodi, H., Wu, J., Agarwal, S., Hadley, M.**,1993. A comparative evaluation of thiobarbituric acid methods for the determination of malondialdehyde in biological materials. *Free Radic. Biol. Med.* 15, 353-63.
- Drouin, G., Godin, J.R., Pagé, B.**, 2011. The genetics of vitamin C loss in vertebrates. *Curr Genom.* 12,371-378.
- Engstad, R.E., Robertsen, B., Frivold, E.**, 1992. Yeast glucan induces increase in lysozyme and complement-mediated haemolytic activity in Atlantic salmon blood. *Fish Shellfish Immunol.* 2, 287-297.
- Fracalossi, D.M., Allen, M.E., Yuyama, L.K., Oftedal, O.T.**, 2001. Ascorbic acid biosynthesis in Amazonian fishes. *Aquaculture*192, 321-332.
- Gao, J., Koshio, S., Kawa, M., Yokoyama, S., Mamauag, R.E.P.**, 2014. Interactive effects of vitamin C and E supplementation on growth performance, fatty acid composition and reduction of oxidative stress in juvenile Japanese flounder *Paralichthys olivaceus* fed dietary oxidized fish oil. *Aquaculture* 423,84-90.
- Goede, R.W., Barton, B.A.**, 1990. Organismic indices and an autopsy based assessment as indicators of health and condition offish. *Am. Fish. Soc. Symp* 8: 93-108.
- Halver, J.E., Ashley, L.M., Smith, R.E.**, 1969. Ascorbic acid requirements of coho salmon and rainbow trout. *Trans. Am. Fish. Soc.* 98, 762-772.
- Ibrahim, M.D., Fathi, M., Mesalhy, S., El-Aty, A.M.M.**, 2010. Effect of dietary supplementation of inulin and vitamin C on the growth, hematology, innate immunity, and resistance of Nile tilapia (*Oreochromis niloticus*). *Fish Shellfish Immunol.* 29, 241-246.
- Kikuchi, K., Furuta, T., Honda, H.**, 1994. Utilization of soybean meal as a protein source in the diet of juvenile Japanese flounder, *Paralichthys olivaceus*. *Aquaculture*.42: 601-604.
- Kiron, V.**, 2012. Fish immune system and its nutritional modulation for preventive health care. *Anim Feed Sci. Technol.* 173, 111-33.
- Liu, L., Dabrowski, K., Ciereszko, A.**, 1995. Protective effect of seminal plasma proteins on the degradation of ascorbic acid. *Mo. Cell. Biochem.*148, 59-66.
- Liu, X.H., Ye, C.X., Ye, J.D., Shen, B.D., Wang, C.Y., Wang, A.L.**, 2014. Effects of dietary amylose/amylopectin ratio on growth performance, feed utilization, digestive enzymes, and postprandial metabolic responses in juvenile obscure puffer *Takifugu obscurus*. *Fish Physiol. Biochem.* 40, 1423-1436.
- Livak, K.J., Schmittgen, T.D.**, 2001. Analysis of relative gene expression data using real time quantitative PCR and the  $2^{-\Delta\Delta CT}$  method. *Methods* 25, 402-408.

- Locksley, R.M., Killeen, N., Lenardo, M.J.,** 2001. The TNF and TNF receptor superfamilies: integrating mammalian biology. *Cell* 104, 487-501.
- Mackay, F., Silveira, P.A., Brink, R.,** 2007. B cells and the BAFF/APRIL axis: fast-forward on autoimmunity and signaling. *Curr. Opin. Immunol.* 19, 327-336.
- Magnadóttir, B.,** 2006. Innate immunity of fish (overview). *Fish Shellfish Immunol.* 20, 137-151.
- Mahmoud, K.Z.,** 2004. Ascorbic acid decreases heat shock protein 70 and plasma corticosterone response in broilers (*Gallus gallus domesticus*) subjected to cyclic heat stress. *Comp. Biochem. Physiol. B.* 137,35-42.
- Ming, J.H., Xie, J., Xu, P., Ge, X.P., Liu, W.B., Ye, J.Y.,** 2012. Effects of emodin and vitamin C on growth performance, biochemical parameters and two HSP70s mRNA expression of Wuchang bream (*Megalobrama amblycephala* Yih) under high temperature stress. *Fish Shellfish Immunol.* 32, 651-661.
- Niu, X.H., Jia, Y.D., Hu, P., Meng, Z., Lei, J.L.,**2014. Effect of dietary vitamin E on the growth performance and nonspecific immunity in sub-adult turbot (*Scophthalmus maximus*). *Fish Shellfish Immunolog.*41: 501-506.
- NRC. Nutrient requirements of fish. National Academy Press, Washington, DC, USA 2011.
- Pagador G.E., Din M.S.,** 2001. Rapid wound healing in African catfish. *Clarias gariepinus* fed diets supplemented with ascorbic acid. *Isr. J. Aquacult.-Bamidgeh* 53(2), 2001, 69-79.
- Panchenko, L.F., Brusov, O.S., Gerasimov, A.M., Loktaeva, T.D.,** 1975. Intramitochondrial localization and release of rat liver superoxide dismutase. *FEBS Lett.* 55, 84-87.
- Pérez-Sánchez, J., Le-Bail, P.Y.,** 1999. Growth hormone axis as marker of nutritional status and growth performance in fish. *Aquaculture* 177,117-128.
- Pierce, A.L., Shimizu, M., Beckman, B.R., Baker, D.M., Dickho. W.W.,** 2005. Time course of the GH/IGF axis response to fasting and increased ration in chinook salmon (*Oncorhynchus tshawytscha*). *Gen. Comp. Endocrinol.* 140, 192-202.
- Sato, M., Kondo, T., Yashinaka, R., Ikeda, S.,** 1982. Effect of dietary ascorbic acid levels on collagen formation in rainbow trout. *Bull Jpn. Soc. Sci. Fish* 48,553-556.
- Shahkar, E., Yuna, H., Kimb, D.J., Kimb, S.K., Leeb, B.I., Bai, S.C.,** 2015. Effects of dietary vitamin C levels on tissue ascorbic acid concentration, hematology, nonspecific immune response and gonad histology in broodstock Japanese eel, *Anguilla japonica*. *Aquaculture* 438: 115-121.
- Tolbert, B.M.,** 1979. Ascorbic acid metabolism and physiological function. *Int. J. Vitam. Nutr. Res. Suppl.* 19, 127-142.
- Vélez-Alavez, M., Méndez-Rodríguez, L.C., Montañez, J.A.D.A., Mejía, C.H., Galván-Magaña, F., Zenteno-Savín, T.,** 2014. Vitamins C and E concentrations in muscle of elasmobranch and teleost fishes. *Comp. Biochem. Physiol. A.* 70, 26-30.
- Vera-Cruz, E.M., Brown, C.L.,** 2009. Influence of the photoperiod on growth rate and insulin-like growth factor-I gene expression in Nile tilapia *Oreochromis niloticus*. *J. Fish Biol.* 75, 130-141.
- Wan, J.J., Ge, X.P., Liu, B., Xie, J., Cui, S.L., Zhou, M., Xia, S.L., Chen, R.L.,** 2014. Effect of dietary vitamin C on non-specific immunity and mRNA expression of three heat shock proteins (HSPs) in juvenile *Megalobrama amblycephala* under pH stress. *Aquaculture* 434, 325-333.
- Wang, T.H., Secombes, C.J.,** 2009. Identification and expression analysis of two fish-specific IL-6 cytokine family members, the ciliary neurotrophic factor (CNTF)-like and M17 genes, in rainbow trout *Oncorhynchus mykiss*. *Molecular Immunol.* 46,2290-2298.
- Wang, X.J., Kim, K.W., Bai, S.C.,** 2002. Effect of different dietary levels of L-ascorbyl-2-polyphosphate on growth and tissue vitamin C concentration in juvenile olive flounder, *Paralichthys olivaceus* (Trmmnck et Schlegel). *Aquac. Res.* 33,216-67.
- Wang, X.J., Kim, K.W., Bai, S.C., Huh, M.D., Cho, B.Y.,** 2003. Effects of the different levels of dietary vitamin C on the growth and tissue vitamin C changes in parrot fish (*Oplegnathus fasciatus*). *Aquaculture* 215, 21-36.
- Wu, C.L., Wang, J., Xu, W., Zhang, W.B., Mai, K.S.,** 2014. Dietary ascorbic acid modulates the expression profile of stress protein genes in hepatopancreas of adult Pacific abalone *Haliotis discus hannai* Ino. *Fish Shellfish Immunol.* 41, 120-125.

- Xian, J.A., Wang, A.L., Tian, J.X., Huang, J.W., Ye, C.X., Wang, W.N.,** 2009. Ophologic, physiological and immunological changes of haemocytes from *Litopenaeus vannamei* treated by lipopolysaccharide. *Aquaculture* 98,139-145.
- Xiao, L.D., Mai, K.S., Ai, Q.H., Xu, W., Wang, X.J., Zhang, W.B.,** 2010. Dietary ascorbic acid requirement of cobia, *Rachycentron canadum* Linnaeus. *Aquacult. Nutr.* 16,582-589.
- Xing, J., Zhan, W.B., Zhou, L.,** 2002. Endoenzymes associated with hemocyte types in the scallop (*Chlamys farreri*). *Fish Shellfish Immunol.*13, 271-278.
- Yang, Z., Yang, J.X.,** 2013. Optimum protein requirement of juvenile *Takifugu obscurus*. *J. Fisheries of China* 27, 450-455.
- Yin, G.W., Li, W.W., Lin, Q., Lin, X., Lin, J.B., Zhu, Q.G., Jiang, H.J., Huang, Z.J.,**2014. Dietary administration of laminarin improves the growth performance and immune responses in *Epinephelus coioides*. *Fish Shellfish Immunol.* 41, 402-406.
- Zhong, H., Zhou, Y., Liu, S.J., Tao, T., Long, Y., Liu, Z.,** 2012. Elevated expressions of GH/IGF axis genes in triploid crucian carp. *Gen. Comp. Endocrinol.* 178,291-300.
- Zhou, Q.C., Wang, L.G., Wang, H.L., Xie, F.J., Wang, T.,** 2012. Effect of dietary vitamin C on the growth performance and innate immunity of juvenile cobia (*Rachycentron canadum*). *Fish Shellfish Immunol.* 32, 969-975.