University of Hawai'i at Mānoa
eVols Repository

Hamilton Library

https://evols.library.manoa.hawaii.edu

Speeches

Box SP7

Chronological: S. 1988, Native American Diabetes Bill, 1986-04-15

Senator Daniel K. Inouye Papers Speeches, Box SP7, Folder 56 http://hdl.handle.net/10524/63351

Items in eVols are protected by copyright, with all rights reserved, unless otherwise indicated.

UHM Library Digital Collections Disclaimer and Copyright Information

GIVEN BY DK) april 15, 1986

STATEMENT BY SEN. DANIEL K. INOUYE BEFORE THE SELECT

COMMITTEE ON INDIAN AFFAIRS ON S.1988

--THE NATIVE AMERICAN DIABETES BILL

THE SERIOUS HEALTH STATUS OF NATIVE HAWAIIANS HAS BEEN A MATTER OF MAJOR AND EVER-INCREASING CONCERN. AT THE TURN OF THE CENTURY, THE NATIVE HAWAIIAN POPULATION DECLINED SO PRECIPITOUSLY IT WAS BELIEVED, THEN, THAT THIS GROUP MIGHT NOT SURVIVE AT ALL. DUE IN PART TO THE ACTIONS OF THE FEDERAL GOVERNMENT AS EARLY AS THE 1920'S ON BEHALF OF THIS NATIVE POPULATION, BUT DUE

MOREOVER TO THEIR OWN TENACITY AND WILL TO SURVIVE. THEIR NUMBERS HAVE STEADILY INCREASED. CURRENTLY, THEY REPRESENT APPROXIMATELY ONE-FIFTH OF ALL PERSONS IN THE STATE OF HAWAII, AND ONE-SIXTH OF ALL NATIVE AMERICANS. UNFORTUNATELY, THEIR HEALTH STATUS REMAINS FAR BELOW THAT OF THE NATIVE POPULATION AS A WHOLE. THEIR LIFE EXPECTANCY IS FIVE TO TEN YEARS BELOW THAT OF OTHERS IN THE STATE AND THEY SUFFER DISPROPORTIONATELY FROM MAJOR CHRONIC ILLNESSES SUCH AS HEART DISEASE, CANCER AND DIABETES.

A COMPREHENSIVE STUDY OF THE HEALTH NEEDS OF NATIVE
HAWAIIANS HAS RECENTLY BEEN COMPLETED. IT FOUND THAT
DIABETES RANKS AS THE THIRD LEADING CAUSE OF DEATH FOR

NATIVE HAWAIIANS. DATA FROM THE STATE DEPARTMENT OF HEALTH SHOWS THAT SINCE 1910 NATIVE HAWAIIANS HAVE HAD THE HIGHEST MORTALITY FROM DIABETES OF ALL GROUPS IN THE STATE -- THREE TO FOUR TIMES GREATER. BOTH PREVALENCE AND MORTALITY RATES ARE MISLEADING. HOWEVER, SINCE DIABETES, KNOWN AS THE "SILENT KILLER," OFTEN GOES UNDETECTED AND IS MANIFEST IN OTHER DISEASES SUCH AS ARTERIOSCLEROSIS AND KIDNEY FAILURE. NATIVE HAWAIIANS, FOR EXAMPLE, REPRESENT APPROXIMATELY 40% OF ALL INSTAGE RENAL DISEASE PATIENTS IN THE STATE.

THE U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
RECENTLY ISSUED THE REPORT OF THE SECRETARY'S TASK

FORCE ON BLACK AND MINORITY HEALTH. THIS REPORT CONFIRMS THE VERY HIGH PREVALENCE OF DIABETES AMONG NATIVE AMERICANS, SUGGESTS THAT ABOUT HALF THE CASES OF DIABETES AMONG AMERICANS ARE LIKELY TO BE UNREPORTED, RECOMMENDS ADDITIONAL RESEARCH ON THE PREVALENCE OF DIABETES AND ITS COMPLICATIONS AMONG MINORITIES, AND EMPHASIZES THE IMPORTANCE OF HEALTH EDUCATION AND LIFESTYLE CHANGE PROGRAMS FOR THE PREVENTION AND EARLY RECOGNITION OF THIS DISEASE. THESE ARE ALL ASPECTS OF SENATE BILL 1988. ITS PROVISIONS WOULD DIRECTLY ADDRESS THIS SEVERE NEED AMONG ALL NATIVE AMERICANS, INCLUDING NATIVE HAWAIIANS.